


DE**Originalbetriebsanleitung****EN****Instruction manual****FR****Notice d'utilisation****IT****Istruzioni per l'uso****ES****Instrucciones de servicio**

86146C - 05/19



optima LED



20886LED
20886LEDOH
20752KLED

mit Dämmerungsautomatik
und Nachtabsenkung

with photocell control for night time
operation
and automatic night dimming

avec système automatique crépusculaire
et abaissement nocturne

con crepuscolare
y descenso nocturno

con sistema automatico crepuscular
e abbassamento notturno

horizont

horizont group gmbh
Traffic Safety

Postfach 13 40
34483 Korbach


Homberger Weg 4-6
34497 Korbach
Germany

Telefon: +49 (0) 56 31 / 5 65 - 2 00

Telefax: +49 (0) 56 31 / 5 65 - 2 48

traffic@horizont.com
www.horizont.com





Pos -Nr.	20886LED	20886LEDOH	20752KLED	Menge
1	83060NEUTRAL	83060NEUTRAL	83060NEUTRAL	1
2	83519	83519	83519	1
3	94246	94246	94246	1
4	93163	93163	93163	1
5	83061	83061	83061	1
6	82354	/	82354	1
7	83179	83179	83179	1
8	94249	94249	94249	3
9	/	/	93058	1
10	/	/	89893	1
11	84742	84742	84742	1
12	/	/	93070	1
13	82364	82364	82365	1
14	91576	91576	91576	1
15	822500PT	822500PT	822500PT	1



Tag
+ Nacht

day
+ night

jour
+ nuit

giorno
+ notte

día
+ noche

Nacht (Dämmerungsautomatik)


night (twilight-automatic)

nuit (système automatique
crépusculaire)



notte (crepuscolare)

noche (sistema automatico
crepuscular)

Batteriewechsel
Change of the battery
Changeement de pile
Sostituzione batterie
Cambio de batería



Befestigung / mounting
fixation / fissaggio della lampada
fijación de la lámpara



Blitzfolge Flash Frequency Fréquence flash Sequenza lampeggio Flash frecuencia	~ 60 / min (bei 6V)
Betriebsstunden Operation hours Heure de fonctionnement Ore di funzionamento Autonomia 2 x 7 Ah 2 x 9 Ah	~ 350 h ~ 450 h
Stromaufnahme Power Cosumption Consomation Assorbimento Consumo	~ 0,04 A
Maße Dimensions Dimensions Dimensioni Dimensiones	195 x 100 x 330 mm
Gewicht (incl. Batterie) Weight (with batteries) Poids (avec batteries) Peso (con batterie) Peso (con baterias)	~ 1,8 kg
Versorgung	2 x IEC4R25

Technische Änderungen vorbehalten !

Subject to alterations !

Sous réserve de changements techniques !

Con riserva di eventuali modifiche !

Reservado el derecho de cambios técnicos !